

9500278

# THE TONK THE DESIGNATES OF ANTER SIGN

TO ALL TO WHOM THESE; PRESENTS SHALL COME;

# Asgrob Seed Company

Increas, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT, VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PEANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A BRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION (84 STAT, 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A4341'

In Testimon Therent, I have hereunto set my hand and caused the seal of the Hant Unrich Protection Office to be affixed at the City of Washington, D.C. this thirtieth day of June in the year of our Lord

SD-470 (04-95) Previous editions are to be destroyed!

(See reverse for instructions and information collection hum

Director of Soybean Research

#### EXHIBIT A

#### ORIGIN AND BREEDING HISTORY OF A4341

- 1988 Cross made in 1988.
  Parentage: A3935/X4413
- 1988-89 F1 and F2 generations grown at Isabella, Puerto (winter) Rico.
  - 1989 F3 population grown at Stonington, Illinois. Three-hundred plants selected from bulk population and threshed individually.
- 1989-90 Progeny row IP880201 CH90-01512Rk grown in Chile and (winter) selected for its uniformity and standability. The row was harvested in bulk and seed coat luster and hilum color noted. In April 1990, IP880201 CH90-01512Rk was determined to be a stable, unique line.
  - 1990 IP880201 CH90-01512Rk was entered in a Preliminary IV Yield Test and grown at Stonington, Illinois, Evansville, Indiana, and Queenstown, Maryland. CH90-01512Rk was tested for Phytophthora root rot resistance and found to be resistant to race 1.
  - 1991 IP880201 CH90-01512Rk was entered into the S402 Strain Yield Test grown at 8 locations including:
    Belleville, Carrollton, and Stonington, Illinois;
    Evansville, Indiana; and Chestertown, Linkwood,
    Queenstown, and Snow Hill, Maryland.

IP880201 CH90-01512Rk was selected for it's yield and standability and assigned the experimental designation XR4341.

1992 - XR4341 was entered in advanced yield tests grown at 13 locations across the midwest.

XR4341 was tested for Phytophthora root rot resistance and found to be resistant to races 1-5, 7-11, 13-15, 17-18, 21, 24.

Breeder Seed of XR4341 grown at Stonington, IL. and Queenstown, MD.

#### Exhibit A continued...

XR4341 was selected for it's yield and standability and renamed XP4341.

1993 - XP4341 was entered in advanced yield tests grown at 16 locations.

Foundation Seed of XP4341 was produced at Perry, IA.

XP4341 was nominated for release and production and designated A4341.

A4341 is uniform and stable within commercially acceptable limits based on trial observations since its development in 1990. As with other soybean varieties, variants can occur for almost any trait during the course of repeated sexual reproduction.

#### EXHIBIT B

#### NOVELTY STATEMENT CONCERNING A4341 SOYBEAN

To our knowledge the soybean varieties that most closely resemble A4341 are A4595, P9442, CX411, and CX434. Characteristics which differentiate A4341 include, but are not restricted to the following:

	Flower Color	Pod Color	PRR
A4341	Purple	Brown	Rps1k
A4595	White	Tan	Rps1a
P9442	Purple	Tan	rps
CX411	White	Tan	Rpslk
CX434	Purple	Tan	Rps1k

a.) Gene for resistance to Phytophthora megasperma f.sp. glycinea.

.20 yr ny

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	Trusca and process	VARIETY NAME
Asgrow Seed Company	TEMPORARY DESIGNATION XP4341	A4341
		· · · · · · · · · · · · · · · · · · ·
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co	de)	FOR OFFICIAL USE ONLY
9638-190-23		PVPO NUMBER -
Gull Road Bldg. 190 <u>Kalamazoo. MI</u> 49001		9500278
Choose the appropriate response which characterizes the va	riety in the features described l	pelow. When the number of significant digi
in your answer is fewer than the number of boxes provided	, place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adec	quate soybean variety descriptio	n. Other characters should be described
when information-is available.  1. SEED SHAPE:		
1. SEED SHAPE:	•	
2	<sub>T</sub>	
11.	! !!	
1 = Spherical (L/W, L/T, and T/W ratios = $\langle 1.2 \rangle$ 3 = Elongate (L/T ratio $\rangle$ 1.2; T/W = $\langle 1.2 \rangle$		L/W ratio > 1.2; L/T ratio = < 1.2) _/T ratio > 1.2; T/W > 1.2)
	- Clongate Flatteries (I	11 Tallo 7 1.2, 1717 7 1.27
2. SEED COAT COLOR: (Mature Seed)		
1 4 3 7 3 3 4 5		:
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other /:	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
C COLD CONT. LOCALITY (MINERAL TIME CIRCLES GEORG)	••	•
1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 6		
1 b Grams per 100 seeds		
7 5. HILUM COLOR: (Mature Seed)		
The state of the s		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
A DESCRIPTION OF THE PROPERTY	······································	
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High	·	
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:	AP WAS IN	
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	bronze band below cotyledons ('W	oodworth'; 'Tracy')
4 = Dark Purple extending to unifoliate leaves ('Hodgson';	Coker Hampton 266A')	
10. LEAFLET SHAPE:		
		•

FORM LMGS 470 57 (6-83)

(Edition of 2-82 is obsolete.)

	`	
,	2	LET SIZE:  1 = Small ('Amsoy 71'; 'A5312')  2 = Medium ('Corsoy 79'; 'Gasoy 17')  3 = Large ('Crawford'; 'Tracy')
1:	2. LEAF	COLOR:
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
<del>/</del> 1:	3. FLOV	YER COLOR:
	2	1 = White 2 = Purple 3 = White with purple throat
<b>★</b> 14	, POD	COLOR:
	2	1 = Tan 2 = Brown 3 = Black
<b>†</b> 15	. PLAN	T PUBESCENCE COLOR:
	2	1 = Gray 2 = Brown (Tawny)
16	. PLAN	T TYPES:
	3	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')
17	. PLAN	T HABIT:
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
18	MATU	RITY GROUP:
	0 7	1 = 000
19,	DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
	BAC*	TERIAL DISEASES:
_	0	
*		Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
*	0	Bacterial Blight (Pseudomonas glycinea)
*		Wildfire (Pseudomonas tabaci)
	FUNG	AL DISEASES:
*		Brown Spot (Septoria glycines)
		Frogeye Leaf Spot (Cercospora sojina)
*	0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (Specify)
		Target Spot (Corynespora cassiicola)
	لما	Downy Mildew (Peronospora trifoliorum var. manshurica)
		Powdery Mildew (Microsphaera diffusa)
*		Brown Stem Rot (Cephalosporium gregatum)
•	0	Stem Canker (Diaporthe phaseolorum var. caulivora)

FORM LMGS-470-57 (6-83)

19. DISEAS	SE REACTIO	ON: (Enter 0 = Not	Tested; 1 = Susceptible	; 2 = Resistant) (Continued)	
		SES: (Continued)			
<b>★</b> 0	Pod and St	em Blight <i>(Diaporthe</i>	e phaseolorum var; sojae	e <i>j</i>	
0		l Stain <i>(Cercospora k</i>			
0	Rhizoctonia	a Root Rot <i>(Rhizoct</i>	onia solani)		
	Phytophtho	ora Rot (Phytophtho	ra megasperma var. soja	ne)	
* 2	Race 1	2 Race 2	2 Race 3	2 Race 4 2 Race	5 0 Race 6 2 Race 7
2	Race 8	2 Race 9	2 Other (Specify	v <u>10-11 13-15 1</u>	17.18 21, 24
VIRA	L DISEASES	<b>3:</b>			
0	Bud Blight (	Tobacco Ringspot V	'irus)		
0	Yellow Mos	aic (Bean Yellow Mo	saic Virus)		
* 0	Cowpea Mos	saic (Cowpea Chloro	tic Virus)	·	
0	Pod Mottle (	(Bean Pod Mottle Vi	rus)		
<b>★</b> [0]	Seed Mottle	(Soybean Mosaic Vi	rus)		
NEMA"	TODE DISE	ASES:			
. (4)	Soybean Cys	t Nematode <i>(Hetero</i>	dera glycines)		•
	Race 1	Race 2	Race 3	Race 4 Other	(Specify)
<u></u>	Lance Nemai	tode (Hopicialmus C	'olombus)		
* [0] 5	Southern Ro	ot Knot Nematode (	Meloidogyne incognita	)	
* 0 h	Northern Ro	ot Knot Nematode (	Meloidogyne Hapla)		
0 P	Peanut Root	Knot Nematode (Me	eloidogyne arenaria)		
0 F	Reniform Ne	matode (Rotylenchu	lus reniformis)		
	THER DISE	EASE NOT ON FOR	M (Specify):	· · · · · · · · · · · · · · · · · · ·	
<b>+</b>			= Not Tested; 1 = Sus	ceptible; 2 = Resistant)	
		s on Calcareous Soil			
					.,
21. INSECT R	EACTION:	(Enter 0 = Not Test	ed; 1 = Susceptible; 2 =	Resistant)	
M	lexican Bean	Beetle (Epilachna va	arivestis)		
0 Pc	otato Leaf H	opper (Empoasca fa	bae)		
0 0	ther (Specify	/) <u></u>			· · · · · · · · · · · · · · · · · · ·
22. INDICATE	WHICH VA	RIETY MOST CLO	SELY RESEMBLES T	AAT SUBMITTED.	
· CHARAC	TER		OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape		A3322		Seed Coat Luster	A3935
Leaf Shape		A3322	\$ 5 K V (1, 17), 15 C	Seed Size	A3935
Leaf Color		A3935		Seed Shape	A3935
Leaf Size		A4595		Seedling Pigmentation	A3935
•				f ,	,

FORM LMGS 470 57 (6-83)

# 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oii	SEEDS	POD
A 4 3 4 1 Submitted	147	1 - 6	97	7.5	11	41.4	20.6	15.8	3
A 4 5 9 5 Name of Similar Variety	148	2.8	106	7.5	12	41.5	20.4	15.4	3

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

JE ME H

EXHIBIT D

Additional Description of the Variety

A4341 is an early group IV cultivar that possesses outstanding and consistant yields relative to other cultivars of similar maturity. A4341 combines the Rps<sub>1</sub><sup>k</sup> gene for Phytophthora resistance with excellent standability and emergence.

ar an sa

EXHIBIT E

## STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

A4341 was originated and developed by Craig K. Moots, Ph.D., an Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.

95 AUG 14 E